

SEQUENCE LISTING

<110> Olson, Gary L.
Self, Christopher
Lee, Lily
Cook, Charles M.
Birktopf, Jens

<120> THERAPEUTIC AGENTS AND METHODS OF USE THEREOF FOR THE
MODULATION OF ANGIOGENESIS

<130> PPI-106CP2

<140>
<141>

<150> US 09/972,772
<151> 2001-10-05

<150> US 09/704,251
<151> 2000-11-01

<160> 35

<170> PatentIn Ver. 2.0

<210> 1
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 may be any amino acid

<220>
<223> Description of Artificial Sequence: Motifs

<400> 1
Pro Leu Gly Xaa
1

<210> 2
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<221> VARIANT
<222> 2
<223> Xaa at position 2 represents L-cyclohexylalanine

<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents methylated cysteine

<220>
<223> Description of Artificial Sequence: Motifs

<400> 2

Pro Xaa Gly Xaa His

1 5

<210> 3

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<220>

<221> VARIANT

<222> 8

<223> Xaa at position 8 represents D-Arginine

<400> 3

Pro Gln Gly Ile Ala Gly Gln Xaa

1 5

<210> 4

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 4

Pro Gln Gly Ile Ala Gly Trp

1 5

<210> 5

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<220>

<221> VARIANT

<222> 4

<223> Xaa at position 4 represents methylated cysteine

<220>

<221> VARIANT

<222> 7

<223> Xaa at position 7 represents D-Arginine

<400> 5

Pro Leu Gly Xaa His Ala Xaa

1 5

<210> 6

<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents D-Arginine

<400> 6
Pro Leu Gly Leu Trp Ala Xaa
1 5

<210> 7
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 7
Pro Leu Ala Leu Trp Ala Arg
1 5

<210> 8
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 8
Pro Leu Ala Leu Trp Ala Arg
1 5

<210> 9
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 9
Pro Leu Ala Tyr Trp Ala Arg
1 5

<210> 10
<211> 7
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 10

Pro Tyr Ala Tyr Trp Met Arg
1 5

<210> 11

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<220>

<221> VARIANT

<222> 2

<223> Xaa at position 2 represents L-cyclohexylalanine

<220>

<221> VARIANT

<222> 4

<223> Xaa at position 4 represents L-norvaline

<400> 11

Pro Xaa Gly Xaa His Ala
1 5

<210> 12

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<220>

<221> VARIANT

<222> 4

<223> Xaa at position 4 represents L-norvaline

<400> 12

Pro Leu Ala Xaa
1

<210> 13

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 13

Pro Leu Gly Leu
1

<210> 14
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 14
Pro Leu Gly Ala
1

<210> 15
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 15
Arg Pro Leu Ala Leu Trp Arg Ser
1 5

<210> 16
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 2
<223> Xaa at position 2 represents L-cyclohexylalanine

<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents L-a-aminobutyryl

<220>
<221> VARIANT
<222> 5
<223> Xaa at position 5 represents methylated cysteine

<400> 16
Pro Xaa Ala Xaa Xaa His Ala
1 5

<210> 17
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT

<222> 2
<223> xaa at position 2 represents L-cyclohexylalanine

<220>
<221> VARIANT
<222> 5
<223> Xaa at position 5 represents methylated cysteine

<400> 17
Pro Xaa Ala Gly Xaa His Ala
1 5

<210> 18
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 18
Pro Lys Pro Gln Gln Phe Phe Gly Leu
1 5

<210> 19
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 19
Pro Lys Pro Leu Ala Leu
1 5

<210> 20
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline

<400> 20
Arg Pro Lys Pro Tyr Ala Xaa Trp Met
1 5

<210> 21
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline

<400> 21
Arg Pro Lys Pro Val Glu Xaa Trp Arg
1 5

<210> 22
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline

<400> 22
Arg Pro Lys Pro Val Glu Xaa Trp Arg
1 5

<210> 23
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline

<400> 23
Arg Pro Lys Pro Leu Ala Xaa Trp
1 5

<210> 24
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 1
<223> Xaa at position 1 represents a modified Proline

residue having an acetyl group attached

<400> 24

Xaa Leu Gly Met Trp Ala
1 5

<210> 25

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 25

Gly Pro Leu Gly Met His Ala Gly
1 5

<210> 26

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<220>

<221> VARIANT

<222> 4

<223> Xaa at position 4 represents methylated glycine

<400> 26

Gly Pro Leu Xaa
1

<210> 27

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 27

Gly Pro Leu Gly
1

<210> 28

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 28

Gly Met Gly Leu Pro

1

5

<210> 29

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 29

Ala Met Gly Ile Pro

1

5

<210> 30

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<220>

<221> VARIANT

<222> 4

<223> Xaa at position 4 represents a modified tyrosine
residue having an O-Methyl group attached

<400> 30

Arg Gly Asp Xaa Arg Glu

1

5

<210> 31

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 31

Gly Arg Gly Asp Ser Pro

1

5

<210> 32

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Motifs

<400> 32

Gly Arg Gly Asp

1

<210> 33
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 1
<223> Xaa at position 1 represents a modified Proline
residue having an acetyl group attached

<400> 33
Xaa Leu Gly Met Ala
1 5

<210> 34
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<220>
<221> VARIANT
<222> 1
<223> Xaa at position 1 represents a modified Arginine
residue having an acetyl group attached

<400> 34
Xaa Gly Asp Ser Pro Leu Gly Met Trp Ala
1 5 10

<210> 35
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Motifs

<400> 35
Pro Leu Gly Met Trp Ser Arg
1 5